

# OpDAT ADT – The universal FO wall outlet


New  
design



Simple installation




Laser protection



Up to 8 fibers  
can be installed



Flexible mounting



Compact design

## The OpDAT ADT – in a new design



### Product specification

Versatile FO distributor outlet for up to 8 fibers. With their attractive look and compact design, they are perfect for office and premises cabling as well as FiTH.

### Properties

- > compact distributor outlet in minimalistic design
- > for mounting on a cavity wall or as a surface mount outlet
- > break-out catches for vertical or horizontal mounting on DIN rail systems
- > prepared for splicing installation cables to pigtails or for direct connection of pre-terminated cables
- > suitable for up to 4x LC-Duplex, SC-Simplex or E2000-Simplex adapters
- > all single mode adapters are equipped with laser shutters
- > unoccupied breakouts are closed with blind plugs
- > splice trays incl. crimp splice holder
- > simple installation due to fold-up and removable splice trays
- > cable entry from right, left, top or bottom and rear inlet for cavity wall applications
- > for cables with a diameter of up to 7 mm
- > space available for cable and fiber reserves

### Areas of Use

- > Office and premises cabling
- > Home cabling (Fiber In The Home)
- > Distribution technology in the technical room

## Variants

The wall outlet is available in 2 equipment variants.

PRODUCT NAME	VARIANT SPLICE	VARIANT VIK
		
Properties	<ul style="list-style-type: none"> <li>&gt; equipped with pigtails and adapters</li> <li>&gt; pigtails are deposited and set down in the splice tray</li> <li>&gt; pigtail connectors cleaned and plugged into adapters, assignment according to color code to IEC 60304</li> </ul>	<ul style="list-style-type: none"> <li>&gt; equipped with adapters</li> <li>&gt; prepared for fixation of pre-terminated cables with mini breakout cables</li> <li>&gt; holds up to 8 pigtails with crimp splice holder (sold separately)</li> </ul>
Delivery contents incl.	<ul style="list-style-type: none"> <li>&gt; cable connectors</li> <li>&gt; 1 crimp splice holder</li> </ul>	<ul style="list-style-type: none"> <li>&gt; cable connectors</li> </ul>

## ACCESSORIES

P/N



Holder for up to 6 crimp splices

15090304-I



Crimp splice protection

15090401-E

## Ordering information

FIBER TYPE	ADAPTER TYPE	ADAPTER COLOR	NUMBER OF ADAPTERS	NUMBER OF PIGTAILS	P/N
splice variant					
OM3	LC-Duplex	aqua	2	4	1501157T02HC
	SC-Simplex		4	4	1501151F04HC
OM4	LC-Duplex	heather violet	2	4	1501177H02HC
	SC-Simplex		4	4	1501171E04HC
OM5	LC-Duplex	lime green	2	4	1501187J02HC
	SC-Simplex		4	4	1501181K04HC
OS2	LC-Duplex UPC	blue	2	4	1501197R02HC
	LC-Duplex UPC Grade B		2	4	1501197U02HC
	SC-Simplex UPC		4	4	1501191L04HC
	SC-Simplex UPC Grade B		4	4	1501191U04HC
	LC-Duplex APC	green	2	4	1501197G02HC
	LC-Duplex APC Grade B		2	4	1501197S02HC
	SC-Simplex APC		4	4	1501191H04HC
	SC-Simplex APC Grade B		4	4	1501191P04HC
VIK variant					
OM3	LC-Duplex	aqua	2	-	1501107T02HC
	SC-Simplex		4	-	1501101F04HC
OM4	LC-Duplex	heather violet	2	-	1501107H02HC
	SC-Simplex		4	-	1501101E04HC
OM5	LC-Duplex	lime green	2	-	1501107J02HC
	SC-Simplex		4	-	1501101K04HC
OS2	LC-Duplex UPC	blue	2	-	1501107R02HC
	SC-Simplex UPC		4	-	1501101L04HC
	LC-Duplex APC	green	2	-	1501107G02HC
	SC-Simplex APC		4	-	1501101H04HC

Further variants on request.

To configure the required patch cords and VIKs use our cable configurator, which you can find on our homepage [www.metz-connect.com](http://www.metz-connect.com).


This allows you to configure cables individually according to your preference and order them directly.




# Product information

PROPERTIES	OpDAT ADT
Dimensions (W x H x D)	100 x 80 x 35 mm
Color	Pure white, RAL 9010
	4x LC-D adapters
	4x E2000-S adapters
Capacities	4x SC-S adapters
	8x pigtails

## Dimensional drawing



## Backside



METZ CONNECT GmbH is a member of the following organizations and associations.



**METZ CONNECT GmbH**

Im Tal 2  
78176 Blumberg  
Germany

Phone +49 7702 533-0  
Fax +49 7702 533-189

info@metz-connect.com  
www.metz-connect.com

**METZ CONNECT USA Inc.**

200 Tornillo Way  
Tinton Falls, NJ 07712  
USA

Phone +1-732-389-1300  
Fax +1-732-389-9066

**METZ CONNECT France SAS**

28, Rue Schweighaeuser  
67000 Strasbourg  
France

Phone +33 3886 170 73  
Fax +33 3886 194 73

**METZ CONNECT AUSTRIA GmbH**

c/o German chamber of commerce  
in Austria

Schwarzenbergplatz 5, Top 3/1  
1030 Vienna  
Austria

Phone +43 1 227 12 64  
Fax +43 1 227 12 66

**METZ CONNECT Zhongshan Ltd.**

Ping Chang Road  
Ping Pu Industrial Park  
Sanxiang Town  
Zhongshan City, 528463  
Guangdong Province  
China

Phone +86 760 86365 055  
Fax +86 760 86365 050

**METZ CONNECT Asia Pacific Ltd.**

Suite 1803, 18/F  
Chinachem Hollywood Centre,  
1 Hollywood Road, Central  
Hong Kong

Phone +852 26 027 300  
Fax +852 27 257 522

